
1/2" NPT
A B C D E
K
F G H J
M
L
BOLT SIZE
QUANTITY
N
O


1/2" NPT
A B C D E
K
F G H J
M
L
BOLT SIZE
QUANTITY
N
O

SPECIFICATIONS

Size	Minimum Release Pressure												Maximum Speed	WEIGHT and INERTIA			BORE RANGE	
	60 psi/4.1 bar (1)				75 psi/5.2 bar (2)				90 psi/6.2 bar (3)					Total Weight	Hub & CP Weight	Hub & CP Inertia	Minimum	Maximum
	Static Torque		Dynamic Torque		Static Torque		Dynamic Torque		Static Torque		Dynamic Torque							
	lb-in	Nm	lb-in	Nm	lb-in	Nm	lb-in	Nm	lb-in	Nm	lb-in	Nm	rpm	lbs (kgs)	lbs (kgs)	$lbft^2(wr^2)$ $(kgm^2(J))$	inches (mm)	inches (mm)
106	2,425	275	1,800	205	3,275	370	2,450	275	3,930	445	2,950	335	5280	44 (20)	6.6 (3.0)	0.23 (0.010)	0.88 (22.2)	1.9 (48)
206	4,850	550	3,600	410	6,550	740	4,900	550	7,850	885	5,900	665	5280	51 (23)	12 (5.6)	0.49 (0.021)	0.88 (22.2)	1.9 (48)
108	3,600	405	2,700	305	4,900	555	3,700	420	5,700	645	4,300	485	4290	74 (34)	13 (5.9)	0.62 (0.026)	0.94 (23.8)	2.5 (62)
208	7,800	880	5,850	660	9,000	1,015	6,750	765	10,500	1,185	7,900	895	4290	84 (38)	24 (11)	1.2 (0.051)	1.13 (29)	2.5 (62)
111	8,900	1,005	6,675	755	11,100	1,255	8,300	940	12,900	1,460	9,700	1,095	3120	165 (75)	28 (13)	2.4 (0.101)	1.25 (32)	2.8 (71)
211	16,000	1,810	12,000	1,355	19,900	2,250	14,900	1,685	23,200	2,620	17,400	1,965	3120	188 (85)	52 (24)	4.7 (0.198)	1.25 (32)	2.8 (71)
114	15,000	1,695	11,250	1,270	19,200	2,170	14,400	1,625	24,000	2,710	18,000	2,035	2450	243 (110)	52 (23)	6.0 (0.253)	1.88 (48)	3.3 (85)
214	28,800	3,255	21,600	2,440	34,500	3,900	25,900	2,925	43,200	4,880	32,400	3,660	2450	294 (133)	84 (38)	11.5 (0.485)	1.88 (48)	3.9 (98)
116	20,800	2,350	15,600	1,765	25,400	2,870	19,000	2,145	32,800	3,705	24,600	2,780	2140	307 (139)	65 (30)	10.7 (0.451)	2.13 (54)	4.2 (107)
216	40,000	4,520	30,000	3,390	50,600	5,720	38,000	4,295	62,700	7,085	47,000	5,310	2140	381 (173)	109 (49)	19.8 (0.834)	2.13 (54)	4.2 (107)
118	33,400	3,775	25,000	2,825	43,600	4,930	32,700	3,695	51,400	5,810	38,600	4,360	1900	455 (206)	93 (42)	19.1 (0.805)	2.25 (57)	4.9 (125)
218	64,300	7,265	48,200	5,450	78,400	8,860	58,800	6,645	92,400	10,440	69,300	7,830	1900	521 (236)	154 (70)	37.2 (1.57)	2.25 (57)	4.9 (125)
318	91,200	10,300	68,400	7,730	104,600	11,820	78,500	8,870	123,300	13,935	92,500	10,455	1900	601 (273)	221 (100)	55.2 (2.33)	2.75 (70)	4.9 (125)
121	45,700	5,165	34,300	3,875	57,800	6,530	43,400	4,905	71,800	8,115	53,900	6,090	1630	624 (283)	128 (58)	34 (1.43)	2.75 (70)	6.3 (160)
221	91,200	10,300	68,400	7,730	116,000	13,110	87,000	9,830	130,500	14,745	97,900	11,065	1630	739 (335)	212 (96)	68 (2.87)	2.75 (70)	6.3 (160)
321	130,400	14,740	97,800	11,050	168,800	19,075	126,600	14,305	176,200	19,910	132,200	14,940	1630	809 (367)	318 (144)	105 (4.43)	2.75 (70)	6.3 (160)
124H	79,000	8,925	59,300	6,700	95,900	10,835	71,900	8,125	126,800	14,330	95,100	10,745	1430	856 (388)	167 (76)	57 (2.40)	2.75 (70)	6.3 (160)
224H	151,500	17,120	113,600	12,840	171,600	19,390	128,700	14,545	252,300	28,510	189,200	21,380	1430	1,049 (476)	290 (132)	118 (4.97)	2.75 (70)	6.3 (160)
324H	227,200	25,670	170,400	19,260	294,500	33,280	220,900	24,960	374,300	42,300	280,700	31,720	1430	1,249 (567)	435 (197)	180 (7.59)	2.75 (70)	6.3 (160)
227	181,800	20,540	136,400	15,410	225,300	25,460	169,000	19,100	272,400	30,780	204,300	23,085	1270	1,280 (581)	353 (160)	206 (8.68)	3.25 (83)	6.3 (160)
327	260,900	29,480	195,700	22,110	334,300	37,775	250,700	28,330	418,600	47,300	314,000	35,480	1270	1,460 (662)	527 (239)	298 (12.6)	3.25 (83)	6.3 (160)
230H	330,700	37,370	248,000	28,020	440,600	49,790	330,500	37,350	542,200	61,270	406,700	45,960	1140	1,862 (845)	562 (255)	375 (15.8)	3.50 (89)	7.0 (178)
330H	512,800	57,950	384,600	43,460	670,100	75,720	502,600	56,800	800,600	90,470	600,500	67,855	1140	2,221 (1,007)	842 (382)	556 (23.4)	3.50 (89)	7.0 (178)
236	514,800	58,170	386,100	43,630	-	-	-	-	-	-	-	-	960	2,753 (1,249)	805 (365)	824 (34.7)	5.50 (140)	8.4 (213)
336	697,100	78,770	522,800	59,080	-	-	-	-	-	-	-	-	960	3,369 (1,528)	1,218 (553)	1,246 (52.5)	5.50 (140)	8.4 (213)
242	858,000	96,950	643,700	72,740	-	-	-	-	-	-	-	-	820	4,413 (2,002)	950 (431)	1,176 (49.6)	7.50 (191)	11.2 (285)
342	1,162,000	131,300	871,500	98,480	-	-	-	-	-	-	-	-	820	4,849 (2,200)	1,425 (646)	1,705 (71.8)	7.50 (191)	11.2 (285)
248	1,439,000	162,600	1,079,600	122,000	-	-	-	-	-	-	-	-	710	6,982 (3,167)	1,795 (814)	3,320 (140)	10.00 (254)	14.5 (368)
348	1,949,000	220,200	1,462,000	165,200	-	-	-	-	-	-	-	-	710	8,195 (3,717)	2,838 (1,287)	4,800 (202)	10.00 (254)	14.5 (368)
260	3,510,000	396,600	2,632,000	297,400	-	-	-	-	-	-	-	-	570	12,046 (5,464)	2,587 (1,174)	7,097 (299)	10.00 (254)	18.9 (480)
360	4,752,000	537,000	3,564,000	402,700	-	-	-	-	-	-	-	-	570	14,125 (6,407)	3,890 (1,765)	10,635 (448)	10.00 (254)	18.9 (480)
460	5,615,000	634,500	4,211,000	475,800	-	-	-	-	-	-	-	-	570	16,736 (7,591)	5,540 (2,513)	14,650 (617)	10.00 (254)	18.9 (480)

DIMENSIONS inches (mm)

SIZE	A +.000/-.003 (+.000/-.076)	B	C +.003/-.000 (+.075/-.000)	D	E	F	G	H	J	K	L	M	N	0	BOLT SIZE	QUAN-TITY
106	8.750 (222.25)	8.000 (203.20)	7.377 (187.38)	4 3/16 (106.36)	2 11/16 (68.26)	2 (50.80)	4 3/4 (120.65)	7 11/32 (186.53)	8 13/16 (223.84)	2 (50.80)	1/16 (1.59)	1/16 (1.59)	4 13/32 (111.92)	5 1/2 (139.70)	5/16	4
206	8.750 (222.25)	8.000 (203.20)	7.377 (187.38)	4 3/16 (106.36)	2 11/16 (68.26)	2 (50.80)	4 3/4 (120.65)	7 11/32 (186.53)	8 13/16 (223.84)	3 1/4 (82.55)	1/16 (1.59)	1/16 (1.59)	5 19/32 (142.08)	6 21/32 (169.07)	5/16	4
108	12.125 (307.98)	11.125 (282.58)	8.375 (212.73)	5 3/8 (136.53)	3 1/2 (88.90)	1 61/64 (49.61)	6 5/8 (168.28)	9 3/8 (238.13)	11 1/8 (282.58)	2 (50.80)	1/4 (6.35)	1/4 (6.35)	4 9/16 (115.89)	5 7/8 (149.23)	1/2	6
208	12.125 (307.98)	11.125 (282.58)	8.375 (212.73)	5 3/8 (136.53)	3 1/2 (88.90)	1 61/64 (49.61)	6 5/8 (168.28)	9 3/8 (238.13)	11 1/8 (282.58)	3 1/4 (82.55)	1/4 (6.35)	1/4 (6.35)	5 7/8 (149.23)	7 13/16 (182.56)	1/2	6
111	16.000 (406.40)	14.750 (374.65)	11.375 (288.93)	7 (177.80)	4 (101.60)	3 1/64 (76.60)	8 1/2 (215.90)	11 15/16 (303.21)	14 3/4 (374.65)	2 3/4 (69.85)	3/8 (9.53)	1/8 (3.18)	5 7/16 (138.11)	6 13/16 (173.04)	5/8	6
211	16.000 (406.40)	14.750 (374.65)	11.375 (288.93)	7 (177.80)	4 (101.60)	3 1/64 (76.60)	8 1/2 (215.90)	11 15/16 (303.21)	14 3/4 (374.65)	4 3/8 (111.13)	3/8 (9.53)	1/4 (6.35)	7 1/4 (184.15)	8 5/8 (219.08)	5/8	6
114	18.750 (476.25)	17.500 (444.50)	14.375 (365.13)	9 7/16 (239.71)	5 1/2 (139.70)	3 7/8 (98.43)	10 3/4 (273.05)	14 3/8 (365.13)	17 1/2 (444.50)	3 (76.20)	3/8 (9.53)	1/8 (3.18)	5 7/8 (149.23)	7 7/8 (200.03)	5/8	8
214	18.750 (476.25)	17.500 (444.50)	14.375 (365.13)	9 7/16 (239.71)	5 1/2 (139.70)	3 7/8 (98.43)	10 3/4 (273.05)	14 3/8 (365.13)	17 1/2 (444.50)	4 1/2 (114.30)	3/8 (9.53)	3/8 (9.53)	7 13/16 (198.44)	9 13/16 (249.24)	5/8	8
116	21.248 (539.70)	20.000 (508.00)	16.250 (412.75)	10 1/2 (266.70)	6 (152.40)	4 3/8 (111.13)	12 1/2 (317.50)	16 19/64 (413.94)	20 (508.00)	4 (101.60)	3/8 (9.53)	3/8 (9.53)	6 (152.40)	8 1/4 (209.55)	5/8	12
216	21.248 (539.70)	20.000 (508.00)	16.250 (412.75)	10 1/2 (266.70)	6 (152.40)	4 3/8 (111.13)	12 1/2 (317.50)	16 19/64 (413.94)	20 (508.00)	4 3/4 (120.65)	3/8 (9.53)	3/8 (9.53)	7 7/8 (200.03)	10 1/8 (257.18)	5/8	12
118	23.250 (590.55)	22.000 (558.80)	18.250 (463.55)	12 1/2 (317.50)	7 (177.80)	4 7/8 (123.83)	14 3/16 (360.36)	19 3/8 (492.13)	22 (558.80)	4 (101.60)	3/8 (9.53)	7/16 (11.11)	6 9/16 (166.69)	8 13/16 (223.84)	5/8	12
218	23.250 (590.55)	22.000 (558.80)	18.250 (463.55)	12 1/2 (317.50)	7 (177.80)	4 7/8 (123.83)	14 3/16 (360.36)	19 3/8 (492.13)	22 (558.80)	4 3/4 (120.65)	3/8 (9.53)	7/16 (11.11)	8 7/16 (214.31)	10 11/16 (271.46)	5/8	12
318	23.250 (590.55)	22.000 (558.80)	18.250 (463.55)	12 1/2 (317.50)	7 (177.80)	4 7/8 (123.83)	14 3/16 (360.36)	19 3/8 (492.13)	22 (558.80)	6 1/2 (165.10)	3/8 (9.53)	7/16 (11.11)	10 5/16 (261.94)	12 9/16 (319.09)	5/8	12
121	27.000 (685.80)	25.500 (647.70)	21.375 (542.93)	14 1/2 (368.30)	9 (228.60)	6 1/4 (158.75)	16 (406.40)	21 5/16 (541.34)	24 7/8 (631.83)	4 (101.60)	5/16 (7.94)	3/4 (19.05)	7 1/2 (190.50	9 15/16 (242.41)	5/8	12
221	27.000 (685.80)	25.500 (647.70)	21.375 (542.93)	14 1/2 (368.30)	9 (228.60)	6 1/4 (158.75)	16 (406.40)	21 5/16 (541.34)	24 7/8 (631.83)	5 1/8 (130.18)	5/16 (7.94)	3/4 (19.05)	9 5/8 (244.48)	12 1/16 (306.39)	5/8	12
321	27.000 (685.80)	25.500 (647.70)	21.375 (542.93)	14 1/2 (368.30)	9 (228.60)	6 1/4 (158.75)	16 (406.40)	21 5/16 (541.34)	24 7/8 (631.83)	7 (177.80)	5/16 (7.94)	3/4 (19.05)	11 3/4 (298.45)	14 3/16 (360.36)	5/8	12
124H	30.000 (762.00)	28.750 (730.25)	24.375 (619.13)	14 1/2 (368.30)	9 (228.60)	8 1/4 (209.55)	21 (533.40)	27 (685.80)	29 (736.60)	4 (101.60)	1/4 (6.35)	3/4 (19.05)	7 5/16 (185.74)	9 11/16 (246.06)	5/8	12
224H	30.000 (762.00)	28.750 (730.25)	24.375 (619.13)	14 1/2 (368.30)	9 (228.60)	8 1/4 (209.55)	21 (533.40)	27 (685.80)	29 (736.60)	5 1/8 (130.18)	1/4 (6.35)	13/16 (20.64)	9 9/16 (242.89)	11 15/16 (303.21)	5/8	12
324H	30.000 (762.00)	28.750 (730.25)	24.375 (619.13)	14 1/2 (368.30)	9 (228.60)	8 1/4 (209.55)	21 (533.40)	27 (685.80)	29 (736.60)	7 1/2 (190.50)	1/4 (6.35)	13/16 (20.64)	11 13/16 (300.04)	14 3/16 (360.36)	5/8	12
227	32.750 (831.85)	31.500 (800.10)	27.375 (695.33)	16 1/4 (412.75)	9 (228.60)	8 1/4 (209.55)	21 (533.40)	27 (685.80)	31 (787.40)	6 7/8 (174.63)	1/4 (6.35)	3/4 (19.05)	10 3/32 (256.38)	12 1/2 (317.50)	5/8	16
327	32.750 (831.85)	31.500 (800.10)	27.375 (695.33)	16 1/4 (412.75)	9 (228.60)	8 1/4 (209.55)	21 (533.40)	27 (685.80)	31 (787.40)	7 15/16 (201.61)	1/4 (6.35)	3/4 (19.05)	12 15/32 (316.71)	14 7/8 (377.83)	5/8	16
230H	37.000 (939.80)	35.500 (901.70)	30.375 (771.53)	19 1/4 (488.95)	10 (254.00)	8 1/4 (209.55)	24 3/4 (628.65)	32 (812.80)	34 3/4 (882.65)	7 1/8 (180.98)	1/4 (6.35)	1 7/8 (47.63)	11 11/16 (296.86)	14 7/16 (366.71)	3/4	18
330H	37.000 (939.80)	35.500 (901.70)	30.375 (771.53)	19 1/4 (488.95)	10 (254.00)	8 1/4 (209.55)	24 3/4 (628.65)	32 (812.80)	34 3/4 (882.65)	11 7/8 (301.63)	1/4 (6.35)	5/8 (15.88)	15 1/16 (382.59)	17 13/16 (452.44)	3/4	18
236	43.500 (1104.90)	42.000 (1066.80)	36.375 (923.93)	23 5/8 (600.08)	12 (304.80)	12 3/4 (323.85)	30 1/2 (774.70)	38 1/4 (971.55)	41 (1041.40)	9 (228.60)	1/4 (6.35)	5/8 (15.88)	11 3/4 (298.45)	15 5/16 (388.94)	3/4	18
336	43.500 (1104.90)	42.000 (1066.80)	36.375 (923.93)	23 5/8 (600.08)	12 (304.80)	12 3/4 (323.85)	30 1/2 (774.70)	38 1/4 (971.55)	41 (1041.40)	12 3/8 (314.33)	1/4 (6.35)	5/8 (15.88)	15 9/16 (295.29)	19 (482.60)	3/4	18
242*	49.000 (1244.60	46.500 (1181.05)	45.000 (1143.00)	29 1/2 (749.30)	16 (406.40)	20 7/16 (519.11)	35 (889.00)	44 1/8 (1120.78)	49 1/4 (1250.95)	9 3/8 (238.13)	1/4 (6.35)	7/8 (22.23)	12 (304.80)	14 (355.60)	1	24
342*	49.000 (1244.60	46.500 (1181.05)	45.000 (1143.00)	29 1/2 (749.30)	16 (406.40)	20 7/16 (519.11)	35 (889.00)	44 1/8 (1120.78)	49 1/4 (1250.95)	12 3/8 (314.33)	1/4 (6.35)	7/8 (22.23)	15 3/4 (400.05)	17 5/8 (447.68)	1	24
248*	56.750 (1441.46)	54.000 (1371.61)	52.000 (1320.81)	32 (812.80)	24 (609.60)	19 (482.60)	40 (1016.00)	52 1/8 (1323.98)	56 3/4 (1441.46)	8 3/4 (222.25)	1/4 (6.35)	3/4 (19.05)	13 7/8 (352.43)	17 5/8 (447.68)	1	24
348*	56.750 (1441.46)	54.000 (1371.61)	52.000 (1320.81)	32 (812.80)	24 (609.60)	19 (482.60)	40 (1016.00)	52 1/8 (1323.98)	56 3/4 (1441.46)	12 5/8 (320.68)	1/4 (6.35)	1/2 (12.70)	18 7/16 (468.31)	22 3/4 (577.85)	1	24
260*	70.500 (1790.71)	66.500 (1689.11)	67.750 (1720.86)	36 (914.40)	27 (685.80)	20 5/8 (523.88)	46 (1168.40)	61 1/2 (1562.11)	70 1/2 (1790.71)	9 3/8 (238.13)	1/4 (6.35)	1/4 (6.35)	17 3/4 (450.85)	22 3/8 (568.33)	2	24
360*	70.500 (1790.71)	66.500 (1689.11)	67.750 (1720.86)	36 (914.40)	27 (685.80)	20 5/8 (523.88)	46 (1168.40)	61 1/2 (1562.11)	70 1/2 (1790.71)	14 1/8 (358.78)	1/4 (6.35)	1/4 (6.35)	22 1/4 (565.15)	26 7/8 (682.63)	2	24
460*	70.500 (1790.71)	66.500 (1689.11)	67.750 (1720.86)	36 (914.40)	27 (685.80	20 5/8 (523.88))	46 (1168.40)	61 1/2 (1562.11)	70 1/2 (1790.71)	18 5/8 (473.08)	1/4 (6.35)	1/4 (6.35)	26 3/4 (679.45)	31 3/8 (796.93)	2	24

SPECIFICATIONS

Size	Torque Ratings @ 100 psi (lb-in)/7 bar (Nm)				Maximum Speed		WEIGHT and INERTIA				BORE RANGE	
	Static Torque		Dynamic Torque		Complete Clutch	Hub & CPs only	Total Weight	Total Clutch Inertia	Hub & CP Weight	Hub & CP Inertia	Minimum	Maximum
	lb-in	Nm	lb-in	Nm	rpm	rpm	lbs (kgs)	lbft²(wr²) (kgm²(J))	lbs (kgs)	lbft²(wr²) (kgm²(J))	inches (mm)	inches (mm)
104	2,340	260	1,750	200	4,660	7,850	11 (5)	0.54 (0.023)	2.5 (1.1)	0.03 (0.0013)	0.50 (12.7)	1.8 (46)
204	4,680	520	3,500	400	4,660	7,850	15 (7)	0.56 (0.024)	4.0 (1.8)	0.04 (0.0017)	0.50 (12.7)	1.8 (46)
106	4,970	570	3,730	425	3,900	5,280	29 (13)	2.3 (0.097)	6.6 (3.0)	0.23 (0.010)	0.88 (22.2)	1.9 (48)
206	9,940	1,140	7,460	850	3,990	5,280	36 (16)	3.2 (0.135)	12 (5.6)	0.49 (0.021)	0.88 (22.2)	1.9 (48)
108	7,300	835	5,500	630	2,830	4,290	63 (29)	8.2 (0.346)	13 (5.9)	0.62 (0.026)	0.94 (23.8)	2.5 (62)
208	14,600	1,670	11,000	1,260	2,830	4,290	72 (33)	9.3 (0.392)	24 (11)	1.2 (0.051)	1.13 (29)	2.5 (62)
111	16,600	1,905	12,450	1,425	2,140	3,120	141 (64)	28 (1.22)	28 (13)	2.4 (0.101)	1.25 (32)	2.8 (71)
211	33,200	3,810	24,900	2,850	2,140	3,120	164 (74)	34 (1.43)	52 (24)	4.7 (0.198)	1.25 (32)	2.8 (71)
311	49,800	5,715	37,350	4,220	2,140	3,120	191 (87)	41 (1.73)	77 (35)	7.0 (0.295)	1.25 (32)	2.8 (71)
114	28,900	3,315	21,700	2,490	1,830	2,450	178 (81)	56 (2.36)	52 (23)	6.0 (0.253)	1.88 (48)	3.3 (85)
214	57,800	6,630	43,400	4,980	1,830	2,450	229 (104)	70 (2.95)	84 (38)	11.5 (0.485)	1.88 (48)	3.9 (98)
314	86,700	9,945	65,100	7,470	1,830	2,450	279 (127)	84 (3.54)	126 (57)	16.9 (0.712)	1.88 (48)	3.9 (98)
116	39,750	4,560	29,800	3,420	1,610	2,140	253 (115)	103 (4.34)	65 (30)	10.7 (0.451)	2.13 (54)	4.2 (107)
216	79,500	9,120	59,600	6,840	1,610	2,140	327 (148)	127 (5.35)	109 (49)	19.8 (0.834)	2.13 (54)	4.2 (107)
316	119,250	13,680	89,400	10,260	1,610	2,140	401 (182)	150 (6.32)	157 (71)	28.8 (1.21)	2.13 (54)	4.2 (107)
118	66,400	7,620	49,800	5,715	1,470	1,900	316 (143)	165 (6.95)	93 (42)	19.1 (0.805)	2.25 (57)	4.9 (125)
218	132,800	15,240	99,600	11,430	1,470	1,900	382 (173)	189 (7.96)	154 (70)	37.2 (1.57)	2.25 (57)	4.9 (125)
318	199,200	22,860	149,400	17,145	1,470	1,900	462 (210)	219 (9.23)	221 (100)	55.2 (2.33)	2.75 (70)	4.9 (125)
121	95,400	10,950	71,500	8,205	1,270	1,630	456 (207)	303 (12.8)	128 (58)	34 (1.43)	2.75 (70)	6.3 (160)
221	190,800	21,900	143,000	16,410	1,270	1,630	571 (259)	356 (15.0)	212 (96)	68 (2.87)	2.75 (70)	6.3 (160)
321	286,200	32,850	214,500	24,615	1,270	1,630	641 (291)	412 (17.4)	318 (144)	105 (4.43)	2.75 (70)	6.3 (160)
124H	160,600	18,435	120,500	13,830	1,140	1,430	623 (283)	470 (19.8)	167 (76)	57 (2.40)	2.75 (70)	6.3 (160)
224H	321,200	36,870	241,000	27,660	1,140	1,430	816 (370)	620 (26.1)	290 (132)	118 (4.97)	2.75 (70)	6.3 (160)
324H	481,800	55,305	361,500	41,490	1,140	1,430	1,016 (461)	765 (32.2)	435 (197)	180 (7.59)	2.75 (70)	6.3 (160)
227	361,100	41,450	270,800	31,080	1,040	1,270	974 (442)	890 (37.5)	353 (160)	206 (8.68)	3.25 (83)	6.3 (160)
327	541,650	62,175	406,200	46,620	1,040	1,270	1,154 (523)	1,048 (44.2)	527 (239)	298 (12.6)	3.25 (83)	6.3 (160)
230H	689,200	79,110	517,000	59,340	920	1,140	1,371 (622)	1,579 (66.5)	562 (255)	375 (15.8)	3.50 (89)	7.0 (178)
330H	1,033,800	118,665	775,500	89,010	920	1,140	1,730 (785)	1,861 (78.4)	842 (382)	556 (23.4)	3.50 (89)	7.0 (178)
236	1,068,000	122,600	801,000	91,940	790	960	1,929 (875)	3,259 (137)	805 (365)	824 (34.7)	5.50 (140)	8.4 (213)
336	1,602,000	183,900	1,201,500	137,910	790	960	2,545 (1,154)	4,144 (175)	1,218 (553)	1,246 (52.5)	5.50 (140)	8.4 (213)
242	1,509,400	173,200	1,132,000	129,900	700	820	2,313 (1,049)	5,444 (229)	950 (431)	1,176 (49.6)	7.50 (191)	11.2 (285)
342	2,264,100	259,800	1,698,000	194,850	700	820	2,749 (1,247)	6,529 (275)	1,425 (646)	1,705 (71.8)	7.50 (191)	11.2 (285)
248	2,832,000	325,000	2,124,000	243,800	600	710	4,165 (1,889)	12,810 (540)	1,795 (814)	3,320 (140)	10.00 (254)	14.5 (368)
348	4,248,000	487,500	3,186,000	365,700	600	710	5,378 (2,439)	17,215 (725)	2,838 (1,287)	4,800 (202)	10.00 (254)	14.5 (368)
260	5,670,000	650,900	4,252,500	488,100	480	570	9,555 (4,334)	46,520 (1,960)	2,587 (1,174)	7,097 (299)	10.00 (254)	18.9 (480)
360	8,505,000	976,350	6,378,750	732,150	480	570	11,634 (5,277)	57,512 (2,424)	3,890 (1,765)	10,635 (448)	10.00 (254)	18.9 (480)
460	11,340,000	1,301,800	8,505,000	976,200	480	570	14,245 (6,462)	68,020 (2,866)	5,540 (2,513)	14,650 (617)	10.00 (254)	18.9 (480)